

DS-MH2211 Series Body Camera



Introduction

DS-MH2211 Series body camera is a highly integrated device mainly designed for security and law enforcement. It correctly records the image and audio of scene. After the events you can review scene by reviewing it. Its small size, light weight, easy-to-carry, and easy-to-operate make it a good helper in law enforcement.

Main Features

- H.264/H.265 encoding technology.
- Recording resolution is up to 1080p/30fps.
- 110° wide-range lens.
- Replaceable battery design.
- A built-in small battery will supply body camera power when replacing the battery.
- Noise reducing technology helps to reduce noise and echo effect.
- Built-in GPS module.
- Light weight (127 g).
- Small size (81.5 × 54.5 × 26 mm)
- IP65.

Available Models


DS-MH2211/32G/GPS/WIFI, DS-MH2211/64G/GPS/WIFI



Specifications

Model		DS-MH2211
Sensor	Type	CMOS
	Lens angel	Horizontal FOV (Field of View): 110°
Display	Displayer	2.0" TFT LCD
Video parameter	Encoding format	H.264/H.265
	Recording	1080p/30fps, 720p/30fps, 720 × 576/30fps
	Pre-record/post-record	Up to 60 s
	Dual stream	Main stream, Sub-stream
	Picture resolution	Up to 5 MP
	Picture format	.jpg
	IR light	Supported. Enables you to clearly see an object within 7 meters.
	LED	Supported
	Laser positioning	Supported
Storage	Storage capacity	A built-in storage chip of 32 GB/64 GB
Positioning	Satellite positioning	Built-in GPS module.
Network	Wi-Fi	802.11b/g/n
Performance	Working temperature	-20 °C to +55 °C (-4 °F to +131 °F)
	Working humidity	≤ 90%
	Ingress protection	IP65

Distributed by



HIKVISION®

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Africa
T +27 (10) 0351172
sale.africa@hikvision.com

Hikvision Europe
T +31-23-55-42-770
info.eu@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Oceania
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Hong Kong
T +852-2151-1761

Hikvision Middle East
T +971-4-8816086
salesme@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Canada
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Poland
T +48-22-460-01-50
poland@hikvision.com

Hikvision Korea
T +82-31-731-8841
sales.korea@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision UK
T +01628-902140
support.uk@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

	Drop resistant	2 m
Structure	Dimension (H × W × D)	81.5 × 54.5 × 26 mm (3.2 × 2.1 × 1.0 in)
	Weight	127g (0.3 lb)
	Buttons	Power switch, Recording button, taping button, capture button, two-way audio button, menu button, up button, down button, OK button.
Others	USB interface	Mini USB 2.0
	Charge media	Mini USB interface, USB socket charger
	Battery	A 1650mAh replaceable battery. Supports recording 1080p videos for 4 hours.

0100001070310