

# OINONE


your cctv choice

## P Series 1080P,AHD/TVI/CVI 32CH DVR

### OTR-P3-6432



#### 1080P AHD / TVI DVR



#### System

Compression	Standard H.264 High Profile
CPU	Cortex A9
OS	Embedded Linux

#### Video

Input	BNC x 32
Resolution	TVI / AHD 1080P, 720P, WD1 real time
Output	HDMI x 1 : 1920 x 1080, VGA x 1: 1920 x 1080, BNC x 1 : CVBS (used as the main or spot output)

#### Audio

Input	RCA x 4
Output	RCA x 1
2-way Audio	Take up channel one audio input

#### Record

Resolution	1080P, 1080P lite, 720P, WD1
Frame Rate	1080P : 12 fps (PAL) / 15 fps (NTSC) 1080P lite / 720P / WD1 : 25 fps (PAL) / 30 fps (NTSC)
Bit Rate	768Kbps ~ 8Mbps
Mode	Manual, timer, motion, sensor

#### Playback

Simultaneous Playback	16 CH
Search	Time slice / time / event / tag search
Smart Search	Highlighted color to display the camera record in a certain period of time, different colors refers to different record events
Function	Play, pause, FF, FB, digital zoom, etc.

#### Alarm

Mode	Manual, sensor, motion, exception
Input	4
Output	1
Triggering	Record, snap, preset, e-mail, etc.

#### Network

Interface	RJ45 10M / 100M / 1000Mbps x 1
Protocol	TCP / IP, PPPoE, DHCP, DNS, DDNS, UPnP, NTP, SMTP
Web Client	Multiple users online

#### Mobile Device

OS	iOS, Andriod
----	--------------

#### Storage

HDD	SATA x 4, Max 6T per HDD
-----	--------------------------

#### Backup

Local Backup	U disk, USB mobile HDD
Network Backup	Yes

#### Port

RS485	RS485 x 1, connect to PTZ or keyboard
USB	USB 2.0 x 1 ( front panel ), USB 3.0 x 1 ( rear panel )
Remote Controller	Optional

#### Others

Power Supply	ATX 250W
Consumption	<= 20W ( without HDD )
Dimensions(mm)	440 x 390 x 70 ( W x D x H )
Work Environment	- 10 °C ~ 50 °C, 10 % ~ 90 % humidity

#### Summary

OTR-P3-6432 series are 32 CH 1080P high definition DVRs, which adopt the standard H.264 high profile compression format and the most advanced SOC technique to ensure real time recording in each channel and realize outstanding robustness of the system.OTR-P3-6432 support 32 CH video input, 4 CH audio input, simultaneous 16 CH playback. The series of product can meet different security requirements of home, financial, commerce,enterprise, transportation and government, etc.

#### Features

- \* 32 CH AHD / TVI / CVI video input
- \* 32 CH 1080P / 1080P lite / 720P / WD1 recording
- \* Adopt standard H.264 high profile compression format to get high-quality video at much lower bit rate
- \* Intuitive and user-friendly Graphic User Interface ( GUI ), Windows styleoperation by mouse
- \* Multi-mode recording: manual / timer / motion / sensor
- \* Playback : 16 CH simultaneous playback
- \* Search : time slice, time, event ( manual,sensor, motion ), tag search
- \* Express and flexible backup via USB, network and so on
- \* Pentaplex : preview, record, playback, backup and remote access
- \* DHCP, DDNS, PPPoE network protocol and CMS supported
- \* Remote control via IE browser or CMS : preview, playback, backup, PTZ and configuration
- \* Dual stream technology for local storage with high definition, remote network transmission and remote surveillance with mobile device
- \* Multi-user online simultaneously
- \* Authorization management, log view and device status view
- \* HDMI 1080P output, true high resolution display
- \* Support PTZ preset and auto cruise, up to 255 presets and 8 cruises
- \* Support NAT function and QRCode scanning by mobile phone and PAD
- \* Powerful smart phone & Pad surveillance with iOS and Andriod OS

